



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

126,127,128

70031	900, 1050 CH:8050132	D →	4-77 -> 10-81	300	
70030	1050, 1300 SPORT	D ↔	6-78 -> 83	285	
70111	ALL TYPES	D ↔	11-81 -> 86	310	
70030	ALL TYPES	D ↔	73 -> 92	285	
70002	127	D ↔	3-71 -> 3-77	300	
70029	ALL TYPES	T ↔	-> 84	265	
70110	ALL TYPES	T ↔	77 ->	265	

132

70111	ALL TYPES	D ↔	10-74 -> 6-82	310	
70630	ALL TYPES	D ↔	10-74 -> 10-82	395	

ARGENTA, NUOVA ARGENTA

70114	ALL TYPES	D ↔	4-81 -> 86	360	
70113	ALL TYPES	T ↔	4-81 -> 86	285	
70126	ALL TYPES	T ↔	4-81 -> 86	157	

BARCETTA

↑ SUPERIOR, ↓ INFERIOR, Ø INTERMEDIO, ■ INTERIOR, ◼ CENTRO



REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

BARCETTA

70242	1.8	D ←	4-95 ->	410	
70372	1.8 16V	D ↔	94 ->	425	
70246	1.8 16V	T ↔	-> 94	185	
70262	1.8 16V	T ↔	94 ->	220	

BRAVO, BRAVA

70254	ALL TYPES	D ↔	6-95 -> 10-01	410	
70252	2.0	D ↔	10-97 -> 10-01	435	
70245	2.0	D ↔	6-95 -> 9-97	435	
70203	ALL TYPES	T ◻	6-95 -> 9-97	245	
70246	2.0	T ↔	6-95 -> 10-01	185	

CINQUECENTO

70385	0.7, 0.9	D ↔	7-91 -> 98	470	
70251	ALL TYPES	T ←	7-91 -> 98	295	

COUPE

70245	ALL TYPES	D ↔	93 -> 96	435	
-------	-----------	-----	----------	-----	--

↑ SUPERIOR, ↓ INFERIOR, ◊ INTERMEDIO, ◻ INTERIOR, ◼ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

COUPE

70254	ALL TYPES	D ↔	96 ->	410	
70253	ALL TYPES	T ◻	93 -> 96	245	
70246	ALL TYPES	T ↔	93 -> 96	185	

CROMA

70128	ALL TYPES	D ↔	10-85 -> 10-92	585	
70373	ALL TYPES	D ↔	10-92 -> 97	560	
70132	ALL TYPES	T ↔	10-85 -> 97	410	

DOBLO

70374	ALL TYPES	D ↔	01 ->	500	
70375	ALL TYPES	T Θ	01 ->	465	

DUCATO, TALENTO

70363	ALL TYPES	D ↑	2-94 ->	490	
70134	EXCEPT 4X4	D ↓	10-81 -> 83	385	
70268	ALL TYPES	D ↓	10-81 -> 89	385	
70265	ALL TYPES	D ↓	2-83 -> 02-94	460	

↑ SUPERIOR, ↓ INFERIOR, Θ INTERMEDIO, ◻ INTERIOR, ◼ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

DUCATO, TALENTO

70362	ALL TYPES	D ↔	-> 94	460	
70012	DUCATO	T ⊖	82 -> 8-94	298	
70364	ALL TYPES	T →	2-94 ->	360	
70080	ALL TYPES	T ↔	82 ->	355	
70365	ALL TYPES	T ↔	2-94 ->	335	
70246	ALL TYPES	T ↔	11-00 -> 4-02	185	
70365	ALL TYPES	T ↔	9-88 ->	335	
70113	EXCEPT 4X4	T ↔	10-81 -> 2-94	285	
70149	ALL TYPES	T ↔	10-81 -> 3-94	290	

DUNA

70376	ALL TYPES	D ↔	87 ->	390	
70377	ALL TYPES	T ↔	87 ->	280	

FIORINO

70031	ALL TYPES	D →	9-83 -> 88	300	
-------	-----------	-----	------------	-----	--

↑ SUPERIOR, ↓ INFERIOR, ⊖ INTERMEDIO, □ INTERIOR, ⊠ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

FIORINO

70030	ALL TYPES	D ↔	9-83 -> 88	285	
70104	ALL TYPES	D ↔	88 -> 93	435	
70002	ALL TYPES	D ↔	77 -> 8-83	300	
70051	ALL TYPES	T ◻	88 -> 93	220	
70029	ALL TYPES	T ↔	77 -> 88	265	

IDEA

70293	ALL TYPES	T ◻	04 ->	195	
-------	-----------	-----	-------	-----	--

MAREA

70252	ALL TYPES	D ↔	7-96 ->	435	
70254	2.0 20V, 2.4 TD, 2.4 JTD	D ↔	7-96 ->	410	
70253	ALL TYPES	T ◻	7-96 ->	245	
70246	ALL TYPES	T ↔	7-96 ->	185	
70246	ALL TYPES	T ↔	7-96 ->	185	

MULTIPLA

70378	1.6, 1.9 JTD	D ↔	98 ->	460	
-------	--------------	-----	-------	-----	--

↑ SUPERIOR, ↓ INFERIOR, Ø INTERMEDIO, ◻ INTERIOR, ◼ CENTRO





MANUFACTURAS WRAKYNSON




REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT








MULTIPLA

70203	ALL TYPES	T ◻	4-99 ->	245	
70262	1.6, 1.9 JTD	T ↔	98 ->	220	

PALIO

70379	ALL TYPES	D ↔	4-96 ->	485	
70380	ALL TYPES	T Θ	4-96 ->	245	
70381	ALL TYPES	T ↔	4-96 ->	255	

PANDA, MARBELLA

70031	-> CH: 6109134	D →	80 ->	300	
70116	ALL TYPES	D ↔	10-82 -> 10-85	465	
70382	ALL TYPES	D ↔	90 ->	460	
70117	1.3 DIESEL	D ↔	11-85 -> 3-91	410	
70117	4X4	D ↔	7-83 ->	410	
70117	ALL TYPES	D ↔	11-85 -> 3-91	410	
70117	SELECTA	D ↔	93 ->	410	

↑ SUPERIOR, ↓ INFERIOR, Θ INTERMEDIO, ◻ INTERIOR, ◼ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

PANDA, MARBELLA

70117	ALL TYPES	D ↔	4-91 ->	410	
70118	1.3 DIESEL	T ↔	11-85 -> 3-91	210	
70365	4X4	T ↔	7-83 ->	335	
70029	CH: 6109135->	T ↔	-> 9-82	265	
70115	ALL TYPES	T ↔	-> 9-82	340	
70256	ALL TYPES	T ↔	90 ->	210	
70113	ALL TYPES	T ↔	10-82 -> 90	285	

PUNTO

70241	ALL TYPES	D →	94 -> 2-00	420	
70384	ALL TYPES	D ←	9-93 -> 9-99	385	
70242	ALL TYPES	D ←	9-93 -> 2-00	410	
70291	ALL TYPES	D ↔	9-99 ->	480	
70292	ALL TYPES	D ↔	9-93 -> 2-00	395	
70293	ALL TYPES	T ◻	9-99 ->	195	

↑ SUPERIOR, ↓ INFERIOR, Θ INTERMEDIO, ◻ INTERIOR, ◼ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

PUNTO

70113	1.3 JTD	T ↔	6-03 ->	285	
70246	1.4 GT TURBO	T ↔	9-96 -> 9-99	185	
70262	ALL TYPES	T ↔	9-93 -> 9-99	220	

REGATA

70120	ALL TYPES	D ↔	9-83 -> 3-86	437	
70078	ALL TYPES	D ↔	4-86 -> 89	365	
70055	ALL TYPES	T ↔	9-83 -> 91	280	

RITMO, NUOVA RITMO

70002	1.3	D ↔	5-78 -> 10-82	300	
70133	1.1	D ↔	5-78 -> 10-82	320	
70104	1.5, 105 TC	D ↔	78 -> 10-82	435	
70119	ALL TYPES	D ↔	4-85 -> 88	384	
70120	ALL TYPES	D ↔	11-82 -> 3-85	437	
70030	1.1	D ↔	5-78 -> 10-82	285	

↑ SUPERIOR, ↓ INFERIOR, Ø INTERMEDIO, ▣ INTERIOR, ▣ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

RITMO, NUOVA RITMO

70055	ALL TYPES	T ↔	82 -> 90	280	
70029	1.3	T ↔	78 -> 10-82	265	

SCUDO

70297	ALL TYPES	D ↔	6-94 ->	515	
70333	ALL TYPES	T ↔	6-94 ->	280	
70333	ALL TYPES	T ↔	6-94 ->	280	

SEICENTO

70385	0.7, 0.9	D ↔	98 ->	470	
70251	ALL TYPES	T ←	98 ->	295	

SIENA

70379	1.2, 1.4	D ↔	4-96 ->	485	
-------	----------	-----	---------	-----	--

STILO

70386	ALL TYPES	D ↔	01 ->	435	
70387	ALL TYPES	T ◻	01 ->	305	
70388	ALL TYPES	T ↔	01 ->	210	

STRADA

↑ SUPERIOR, ↓ INFERIOR, ◊ INTERMEDIO, ◻ INTERIOR, ◼ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

STRADA

70374	ALL TYPES	D ↔	6-99 ->	500	
-------	-----------	-----	---------	-----	--

TIPO, TEMPRA

70121	1.4, 1.6	D →	-> 2-93	385	
-------	----------	-----	---------	-----	--

70122	ALL TYPES	D ↔	-> 8-96	410	
-------	-----------	-----	---------	-----	--

70203	ALL TYPES	T ◻	3-90 -> 8-96	245	
-------	-----------	-----	--------------	-----	--

70246	ALL TYPES	T ↔	3-90 -> 8-96	185	
-------	-----------	-----	--------------	-----	--

70118	2.0	T ↔	3-90 -> 2-93	210	
-------	-----	-----	--------------	-----	--

70123	ALL TYPES	T ↔	6-90 -> 8-96	245	
-------	-----------	-----	--------------	-----	--

ULYSSE

70297	ALL TYPES	D ↔	94 -> 8-02	515	
-------	-----------	-----	------------	-----	--

70361	ALL TYPES	D ↔	94 -> 8-02	325	
-------	-----------	-----	------------	-----	--

70360	ALL TYPES	D ↔	9-02 ->	490	
-------	-----------	-----	---------	-----	--

70333	ALL TYPES	T ↔	94 -> 8-02	280	
-------	-----------	-----	------------	-----	--

UNO

70050	45, 55, 70	D ↔	-> 8-89	430	
-------	------------	-----	---------	-----	--

↑ SUPERIOR, ↓ INFERIOR, ◊ INTERMEDIO, ◻ INTERIOR, ◼ CENTRO



MANUFACTURAS WRAKYNSON

REF.	APLICACION	SITUACION	FECHA APLICAC.	LARGO TOTAL	
------	------------	-----------	----------------	-------------	--

FIAT

UNO

70104	ALL TYPES	D ↔	83 -> 95	435	
70124	45, 60	D ↔	83 -> 95	408	
70389	1.4ie, 1.5ie, 1.3 D	D ↔	8-89 ->	410	
70125	ALL TYPES	D ↔	85 -> 94	460	
70051	ALL TYPES	T ◻	-> 95	220	
70037	CS	T →	6-83 -> 3-92	270	
70262	ALL TYPES	T ↔	8-89 ->	220	
70126	1.3,1.4 ie TURBO	T ↔	85 -> 94	157	

↑ SUPERIOR, ↓ INFERIOR, ◊ INTERMEDIO, ◻ INTERIOR, ◼ CENTRO